CUMULATIVE AUTHOR INDEX
Environmental Entomology
Volume 29, 2000

A

Ahn, J. J., 265
Albajes, R., 1075
Ali, A., 437
Alonso-Pimentel, H., 994
Aluja, M., 87
Amezaga, I., 1011
Anderson-Wong, P., 171
Anhold, J. A., 20
Applebaum, S. W., 1289
Arnason, J. T., 135
Asante, S. K., 815
Ashlock, L., 312
Aukema, B. H., 618, 651
Avelar, C., 750
Ayres, B. D., 421
Ayres, M. P., 421

B

Barbosa, P., 987
Barnard, D. R., 437
Barrera, J. F., 126
Baur, M. E., 312
Behle, R. W., 1070
Bellotti, A. C., 355
Bengtsson, M., 433
Benrey, B., 87
Bento, J. M. S., 355
Berisford, C. W., 1138
Berry, R. E., 95
Bigler, F., 846
Blanford, S., 1060
Blank, R. H., 934
Boethel, D. J., 312
Boiteau, G., 1157
Boivin, G., 55
Bomford, M. K., 795
Borden, J. H., 28
Borgemeister, C., 516, 1216
Bosch, J., 8, 69, 235, 413, 874
Bousquet, Y., 1157
Bowers, G. R., 312
Boyd, M. L., 312
Broderick, N. A., 101
Brodeur, J., 454, 568
Broufas, G. D., 710, 743
Broughton, M. J., 140
Brown, J. J., 340
Brunner, J. F., 340
Butler, L., 579, 645

C

Cady, A. B., 383
Callcott, A.-M. A., 788
Calvin, D. D., 1226
Camilo, G. R., 132, 133
Campbell, C. D., 369
Capinera, J. L., 612
Cardoza, Y. J., 220
Carey, J. R., 1180
Carpenter, J. E., 606
Castañé, C., 1075
Chon, T.-S., 1208
Chung, Y.-J., 1208
Ciomperlik, M. A., 1048
Clancy, K. M., 281
Cloyd, R. A., 535
Coats, J. R., 1133
Cobb, N. S., 696
Coderre, D., 454
Cohen, M. B., 958, 972
Coll, M., 1289
Colley, M. R., 1054
Collins, H. L., 788
Cook, D. F., 1116
Coombs, M. T., 1027
Copren, K. A., 241
Cornelius, M. L., 14
Cory, J. S., 661, 1268
Coviella, C. E., 781
Cox-Foster, D., 542
Croft, B. A., 95, 1034
Cullen, E. M., 560
Cuperus, G. W., 250

D

Dadour, I. R., 1116
Dahlsten, D. L., 618, 651
Darnell, S. J., 587
Davis, A. J., 467
de la Rosa, W., 126
de Matos, A. P., 355
de Moraes, G. J., 355
Dillwith, J. W., 304
Dirie, A. M., 972
Dou, H., 1083
Downie, D. A., 979
Drew, A., 290
Duan, J. J., 14, 838
Dukas, R., 838
Dunkel, F. V., 140

E

Eben, A., 87
Economopoulos, A. P., 1180
Eigenbrode, S. D., 773
Eilenberg, J., 1041
Eliason, E. A., 551, 1199
Elkinton, J. S., 476, 509
Enkegaard, A., 851
Epstein, D. L., 340
Erelli, M. C., 476, 509
Eubanks, M. D., 1283
Evans, E. W., 1088

F

Fang, Y., 43
Fantinou, A. A., 489
Fares, A., 1083
Fargo, R., 290
Farrar, R. R., Jr., 108
Fisher, J. R., 758, 979
Fitzgerald, B. C., 403
Fleischer, S. J., 542
Floate, K. D., 669
Follett, P. A., 171
Fontes, E. M. G., 714
Fournier, F., 55
Fournier, V., 568
Freund, R. L., 721, 733
Fristad, A., 1133
Fry, T. C., 1070
Funderburk, J., 376
Fuxa, J. R., 950

G

Gabor, J. W., 195
Garbisu, C., 1011

CUMULATIVE AUTHOR INDEX
Environmental Entomology
Volume 29, 2000

A

Ahn, J. J., 265
Albajes, R., 1075
Ali, A., 437
Alonso-Pimentel, H., 994
Aluja, M., 87
Amezaga, I., 1011
Anderson-Wong, P., 171
Anhold, J. A., 20
Applebaum, S. W., 1289
Arnason, J. T., 135
Asante, S. K., 815
Ashlock, L., 312
Aukema, B. H., 618, 651
Avelar, C., 750
Ayres, B. D., 421
Ayres, M. P., 421

B

Barbosa, P., 987
Barnard, D. R., 437
Barrera, J. F., 126
Baur, M. E., 312
Behle, R. W., 1070
Bellotti, A. C., 355
Bengtsson, M., 433
Benrey, B., 87
Bento, J. M. S., 355
Berisford, C. W., 1138
Berry, R. E., 95
Bigler, F., 846
Blanford, S., 1060
Blank, R. H., 934
Boethel, D. J., 312
Boiteau, G., 1157
Boivin, G., 55
Bomford, M. K., 795
Borden, J. H., 28
Borgemeister, C., 516, 1216
Bosch, J., 8, 69, 235, 413, 874
Bousquet, Y., 1157
Bowers, G. R., 312
Boyd, M. L., 312
Broderick, N. A., 101
Brodeur, J., 454, 568
Broufas, G. D., 710, 743
Broughton, M. J., 140
Brown, J. J., 340
Brunner, J. F., 340
Butler, L., 579, 645

C

Cady, A. B., 383
Callcott, A.-M. A., 788
Calvin, D. D., 1226
Camilo, G. R., 132, 133
Campbell, C. D., 369
Capinera, J. L., 612
Cardoza, Y. J., 220
Carey, J. R., 1180
Carpenter, J. E., 606
Castañé, C., 1075
Chon, T.-S., 1208
Chung, Y.-J., 1208
Ciomperlik, M. A., 1048
Clancy, K. M., 281
Cloyd, R. A., 535
Coats, J. R., 1133
Cobb, N. S., 696
Coderre, D., 454
Cohen, M. B., 958, 972
Coll, M., 1289
Colley, M. R., 1054
Collins, H. L., 788
Cook, D. F., 1116
Coombs, M. T., 1027
Copren, K. A., 241
Cornelius, M. L., 14
Cory, J. S., 661, 1268
Coviella, C. E., 781
Cox-Foster, D., 542
Croft, B. A., 95, 1034
Cullen, E. M., 560
Cuperus, G. W., 250

D

Dadour, I. R., 1116
Dahlsten, D. L., 618, 651
Darnell, S. J., 587
Davis, A. J., 467
de la Rosa, W., 126
de Matos, A. P., 355
de Moraes, G. J., 355
Dillwith, J. W., 304
Dirie, A. M., 972
Dou, H., 1083
Downie, D. A., 979
Drew, A., 290
Duan, J. J., 14, 838
Dukas, R., 838
Dunkel, F. V., 140

E

Eben, A., 87
Economopoulos, A. P., 1180
Eigenbrode, S. D., 773
Eilenberg, J., 1041
Eliason, E. A., 551, 1199
Elkinton, J. S., 476, 509
Enkegaard, A., 851
Epstein, D. L., 340
Erelli, M. C., 476, 509
Eubanks, M. D., 1283
Evans, E. W., 1088

F

Fang, Y., 43
Fantinou, A. A., 489
Fares, A., 1083
Fargo, R., 290
Farrar, R. R., Jr., 108
Fisher, J. R., 758, 979
Fitzgerald, B. C., 403
Fleischer, S. J., 542
Floate, K. D., 669
Follett, P. A., 171
Fontes, E. M. G., 714
Fournier, F., 55
Fournier, V., 568
Freund, R. L., 721, 733
Fristad, A., 1133
Fry, T. C., 1070
Funderburk, J., 376
Fuxa, J. R., 950

G

Gabor, J. W., 195
Garbisu, C., 1011

Garcia-Salazar, C., 542
Gavloski, J. E., 1, 1258, 1273
Geiger, C. A., 76
Getty, G. M., 241
Gianoli, E., 213
Gildow, F. E., 542
Giles, K. L., 304
Gill, G. S. C., 934
Glenn, D. M., 329
Goebel, H. N., 1070
Goodman, R. M., 101
Gould, F., 958, 972
Gounou, S., 516
Grace, J. K., 1100
Granett, J., 979
Grant, G. G., 164
Greenberg, S. M., 851, 1048
Grez, A. A., 1244
Grimm, K. M., 927
Guillet, G., 135
Gut, L., 340
Gutierrez, A. P., 76

H

Haddad, N. M., 299
Haile, F. J., 861
Hain, F. P., 638
Hajek, A. E., 645
Halaj, J., 383
Handelsman, J., 101
Hanks, L. M., 369, 1305
Hardman, J. M., 683
Harris, S. J., 64
Hart, E. R., 43
Haverty, M. I., 241, 256, 1100
Havstad, K. M., 200
Heatherly, L. G., 312
Hellenthal, R. A., 704
Hemming, J. D. C., 1108
Hennessy, D., 1116
Hicks, W. M., 299
Higley, L. G., 861
Hilbeck, A., 846
Hines, A., 290
Hirst, M. L., 661
Hohn, F. M., 207
Holliday, N. J., 1123
Holtzer, T. O., 360, 1164
Howell, J. F., 766
Hu, J. S., 171
Hutchison, W. D., 1018

I

Ikemoto, T., 671
Irish, N. J., 195
Isard, S. A., 226

J

Jackai, L. E. N., 815
Jacob, H. S., 1088
Jacobs, J. S., 349
Javoiš, J., 1002
Jespersen, J. B., 630
Jochemsen, P., 832
Jones, S. K., 329
Jones, V. P., 171
Jones, W. A., 851
Joseph, S. B., 1173
Journey, A. M., 822

K

Kagkou, E. A., 489
Kaloshian, I., 690
Kelly, J. M., 934
Kemp, W. P., 8, 874
Kim, D.-S., 1188
Kim, J.-M., 1208
Kim, Y., 868, 1208
King, B. H., 927
Kinsey, M. G., 690
Koveos, D. S., 710, 743
Kuhar, T. P., 1295
Kukal, O., 683
Kumar, A., 140
Kuriachan, I., 943
Kushnak, G. D., 195

L

Lam, W.-K. F., 157, 800
Lamb, R. J., 1, 1258, 1273
Lane, R. S., 272
Langevin, D., 164
Lapointe, S. L., 150
Laub, C. A., 1295
Le Corff, J., 181
Lee, B.-Y., 1208
Lee, J.-H., 265, 1188
Lee, Y., 950
Legaspi, B. C., Jr., 851
Legrand, A., 987
Lester, P. J., 360
Levine, E., 226
Lewis, V. R., 241
Leyva, K. J., 281
Liebherr, J. K., 645
Lindroth, R. L., 1108
Lockley, T. C., 788
Lombardero, M. J., 421
López, R., 116
Losey, J. E., 1283
Lucas, E., 454
Lukezic, F. L., 542
Luna, J. M., 1054
Lysyk, T. J., 596

M

Macías-Sámano, J. E., 28
Madden, R. D., 304
Malakar, R., 1268
Manville, J. F., 1097
Marini-Filho, O. J., 901
Marquis, R. J., 181
Mavrikakis, P. G., 1180
McAuslane, H. J., 220
McCombs, S. D., 1152
McCoy, C. W., 1083
Mccullough, D. G., 884
McDermott, G. J., 403
Mcguire, M. R., 1070
McInnis, D. O., 1152
McNee, W. R., 495
Meinke, L. J., 587, 861
Merrick, M., 290
Messing, R. H., 14, 838
Millar, J. G., 369
Mohamed, A. H., 360
Montserrat, M., 1075
Moore, A. J., 1173
Mott, M., 1312
Moran, M. D., 64
Moreau, D. L., 683
Morgan, D. J. W., 781
Morrill, W. L., 195
Morris, M. A., 95
Myers, J. H., 1268

N

Naranjo, S. E., 1018
Nash, M. S., 200
Nasser, M. A., 226
Negrón, J. F., 20

Nelson, L. J., 1100
Nentwig, W., 846
Nergel, L., 14
Neven, L. G., 766
Noma, T., 394
Nowierski, R. M., 403
Nufio, C. R., 994

O

Obreza, T., 1083
Oi, D. H., 788
Olmstead, K. L., 721, 733
Olson, S., 376
Osborn, W., 1157
Ostlie, K. R., 822

P

Paine, T. D., 369
Papaj, D. R., 994
Parajulee, M. N., 1236
Park, Y.-S., 1208
Päts, P., 795
Payton, M. E., 304
Pedigo, L. P., 157, 800
Peet, F. G., 1097
Peterson, C., 1133
Peterson, S. S., 874
Pettersson, E. M., 1138
Phillips, T. W., 250, 1236
Philogène, B. J. R., 135
Pickering, J., 460
Pinto, J. D., 832
Pires, C. S. S., 49, 714, 750
Platner, G. R., 832
Podeszfinski, C., 135
Poehling, H.-M., 516, 1216
Poprawski, T. J., 1048
Potter, D. A., 116, 502, 551, 1199
Prado, E., 1244
Pratt, P. D., 1034
Preziosi, R. F., 1173
Price, P. W., 49, 281, 696, 750
Proshold, F. I., 606
Puterka, G. J., 329

R

Rabb, J., 312
Radcliffe, E. B., 1123
Raffa, K. F., 101, 442, 618, 651, 668
Ragusa, E., 1251
Ragusa Di Chiara, S., 1251
Raupp, M. J., 919
Reeve, J. D., 421
Regnault-Roger, C., 135
Reno, H. E., 927
Richmond, S., 290
Ridgway, R. L., 108
Romena, A. M., 958
Rowe, W. J., II, 502
Runde, J. M., 704

S

Sadof, C. S., 535
Sahota, T. S., 1097
Sappington, T. W., 807
Schulthess, F., 516, 1216
Segura, H. R., 126
Sekutowski, D. G., 329
Seltmann, K. C., 1138
Senanayake, D. G., 1123
Sétamou, M., 516, 1216
Shannag, H. K., 612
Shapiro, D. I., 1083
Sharkey, M. J., 460
Sheley, R. L., 349
Shelly, T. E., 1152
Shrewsbury, P. M., 919
Sivinski, J., 87
Skillen, E. L., 460
Skovgård, H., 630
Smith, R. J., 290
Smitley, D., 1312
Snyder, W. E., 35, 1173
Sodre De Alckmin Marques, E., 696
Song, W., 868
Spangler, S. M., 1226
Speight, M. R., 661
Spencer, J. L., 226
Spurgeon, D. W., 807
Sriharan, S., 140
Stavisky, J., 376
Sterling, P. H., 661
Storer, A. J., 495
Story, J. M., 349, 403
Stouthamer, R., 832
Strazanac, J., 579
Strickler, K., 394, 907
Sujii, E. R., 714, 750
Sullivan, B. T., 1138

T

Takai, K., 671
Tälleklint-Eisen, L., 272
Tammaru, T., 1002
Tamo, M., 815
Tauber, C. A., 714
Tauber, M. J., 714
Thomas, M. B., 1060
Thomsen, L., 1041
Thorne, B. L., 256
Throne, J. E., 1236
Toews, M. D., 250
Tooker, J. F., 1305
Trimble, R. M., 433
Trumble, J. T., 781
Tsao, R., 1133
Tsolakis, H., 1251

U

Uetz, G. W., 383
Ullman, D. E., 171, 690
Umble, J. R., 758
Unruh, T. R., 329
Urías-López, M. A., 861

V

Van Zee, J., 200
Venette, R. C., 1018
Vernon, R. S., 795
Vicens, N., 69, 235, 413
Vinson, J. W., 907
Vinson, S. B., 943

W

Wagner, D. L., 207
Wallace, M. S., 638
Wallin, K. F., 442
Wang, C., 579
Way, M. O., 312
Weaver, D. K., 195
Webb, S. E., 220
Weeks, R. D., Jr, 1164
Weseloh, R. M., 525
Westcot, D. M., 171
Wheeler, M. M., 645
White, C., 773
Whitfield, J. B., 181

Whitford, W. G., 200
Williams, D. F., 788
Williams, T., 126
Williamson, V. M., 690
Wilson, J. L., 20
Wise, D. H., 35
Witzgall, P., 433
Wood, D. L., 495
Woodrow, R. J., 1100
Work, T. T., 884

X

Xue, R.-D., 437

Y

Yang, P., 171
Yiem, M.-S., 1188
Young, L. J., 587
Youngman, R. R., 1295

Z

Zack, R. S., 340
Zalom, F. G., 560
Zhao, B., 164
Zhou, X., 1289
Zwahlen, C., 846

CUMULATIVE SUBJECT INDEX
Environmental Entomology
Volume 29, 2000

A

Acalymma vittatum,
Chrysomelidae, 542
Coleoptera, 542
Erwinia tracheiphila, 542
vector-pathogen association, 542
Acheta domesticus,
nucleopolyhedrovirus, 950
Podisus maculiventris, 950
recombinant baculovirus, 950
Sarcophaga bullata, 950
Trichoplusia ni, 950
Acyrthosiphon pisum,
genetic near-isolines, 987
plant morphology, 987
plant–herbivore interactions, 987
Adelges tsugae,
adelgid, 638
exclusion cages, 638
field survey, 638
hemlock, 638
adelgid,
Adelges tsugae, 638
exclusion cages, 638
field survey, 638
hemlock, 638
Agrotis segetum,
bioassays, 1041
destruxins, 1041
Metarhizium anisopliae, 1041
Pieris brassicae, 1041
serial time-concentration mortality, 1041
alfalfa, 907, 1088
biological control, 1088
foraging behavior, 907
longevity, 1088
Medicago sativa, 907
Megachile rotundata, 907
parasitoid feeding, 1088
Phacelia tanacetifolia, 1088
pollination ecology, 907
seed set, 907
Taraxacum officinale, 1088
almond pollination,
development, 874
Osmia lignaria, 874
rearing methods, 874
wintering, 874
ants, 525, 579
foraging, 525
forest, 579
Formica neogagates, 525
leaves, 525
microbial pesticides, 579
nontarget effect, 579
trails, 525
aphid,
azadirachtin, 568
entomopathogenic fungus, 568
insecticidal soap, 568
lettuce crop, 568
Verticillium lecanii, 568
Apis mellifera,
climatic factors, 413
orchard pollination, 413
Osmia cornuta, 413
pollinator foraging activity, 413
Archytas marmoratus,
augmentation, 606
biological control, 606
Helicoverpa zea, 606
inundative release, 606
Tachinidae, 606
augmentation,
Archytas marmoratus, 606
biological control, 606
Helicoverpa zea, 606
inundative release, 606
Tachinidae, 606
azadirachtin,
aphid, 568
entomopathogenic fungus, 568
insecticidal soap, 568
lettuce crop, 568
Verticillium lecanii, 568

B

Bacillus thuringiensis,
Chilo suppressalis, 972
dispersal, 972
resistance management, 972

rice, 972
Scirpophaga incertulas, 972
baculovirus,
bioinsecticide, 661
Euproctis chrysorrhoea, 661
host range, 661
Lymantriidae, 661
nontarget organism, 661
bark beetle,
host selection behavior, 442
Ips pini, 442
lipids, 442
monoterpene, 442
postlanding behavior, 442
bark beetles, 495, 1011
callow adults, 495
feeding behaviors, 495
female weight, 1011
intraspecific competition, 1011
Pinus nigra variety *maritima*, 1011
Pinus sylvestris, 1011
Scolytidae, 495
Tomicus piniperda, 1011
Beauveria bassiana,
fungal entomopathogens, 1048
Paecilomyces fumosoroseus, 1048
Trialeurodes vaporariorum, 1048
tritrophic level interactions, 1048
whiteflies, 1048
Benin,
host plants, 516
Mussidia nigrivenella, 516
population dynamics, 516
bioassays,
Agrotis segetum, 1041
destruxins, 1041
Metarhizium anisopliae, 1041
Pieris brassicae, 1041
serial time-concentration mortality, 1041
biodiversity,
Ichneumonidae, 460
latitude, 460
old-growth forests, 460
parasitoids, 460
bioinsecticide,
baculovirus, 661
Euproctis chrysorrhoea, 661
host range, 661
Lymantriidae, 661
nontarget organism, 661
biological control, 535, 596, 606, 618, 630, 651, 927, 1034, 1060, 1075, 1083, 1088, 1312
alfalfa, 1088
Archytas marmoratus, 606
augmentation, 606
coevolution, 651
coleus, 535
diapause, 1034
Diaprepes abbreviatus, 1083
dispersal, 927
entomopathogen, 1312
functional response, 1075
fungal pathogen, 1312
grasshoppers, 1060
Helicoverpa zea, 606
Heteropteran predators, 1075
Heterorhabditis bacteriophora, 1083
Hieroglyphus daganensis, 1060
inundative release, 606
Ips pini, 618, 651
Leptomastix dactylopii, 535
life history, 596
locomotor activity, 927
Locustana pardalina, 1060
longevity, 1088
Lymantria dispar, 1312
mating, 927
Musca domestica, 596, 630
Muscidifurax, 630
Muscidifurax raptor, 596
Nasonia vitripennis, 927
Neoseiulus fallacis, 1034
nuclear polyhedrosis virus, 1312
parasitoid feeding, 1088
parasitoid wasp, 927
pathogens, 1060
Phacelia tanacetifolia, 1088
pheromones, 618, 651
Planococcus citri, 535
plant architecture, 535
Platysoma, 618, 651
population monitoring, 618
pupal parasitoids, 630
soil type, 1083
Spalangia, 630
spatial distribution, 630
Steinernema riobrave, 1083
Stomoxys calcitrans, 596
Tachinidae, 606
Taraxacum officinale, 1088

temperature, 596
Tetranychidae, 1034
Thanasimus dubius, 618, 651
thermal behavior, 1060
thrips, 1075
whiteflies, 1075
zygomycetes, 1312
biological diversity,
ecological classification, 884
exotic species invasion, 884
forest insect communities, 884
gypsy moth, 884
biological invasions,
demography, 1018
diapause, 1018
Pectinophora gossypiella, 1018
risk, 1018

C

Callirhytis,
Cynipidae, 551
gall-inducer, 551
heterogeny, 551
inquiline, 551
Quercus, 551
callow adults,
bark beetles, 495
feeding behaviors, 495
Scolytidae, 495
Cardiochiles diaphaniae,
Diaphania hyalinata, 612
Steinernema carpocapsae, 612
Cerrado,
fire, 901
herbivores, 901
neotropical savannas, 901
recolonization, 901
Chilo suppressalis, 958, 972
Bacillus thuringiensis, 972
dispersal, 972
larval dispersal, 958
resistance management, 958, 972
rice, 958, 972
Scirpophaga incertulas, 958, 972
Chironomus decorus,
Eucyclops agilis, 437
insect repellents, 437
Strelkovimermis spiculatus, 437
toxicity, 437
Toxorhynchites amboinensis, 437
Chrysomelidae,
Acalymma vittatum, 542
Coleoptera, 542
Erwinia tracheiphila, 542
vector-pathogen association, 542
climatic factors,
Apis mellifera, 413
orchard pollination, 413
Osmia cornuta, 413
pollinator foraging activity, 413
coevolution,
biological control, 651
Ips pini, 651
pheromones, 651
Platysoma, 651
Thanasimus dubius, 651
cold tolerance, 421, 868
Dendroctonus frontalis, 421
Ips grandicollis, 421
Ips perroti, 421
Ips pini, 421
photoperiod, 868
Scolytidae, 421
Spodoptera exigua, 868
supercooling point, 868
thermoperiod, 868
Coleomegilla maculata,
defense, 454
habitat selection, 454
intraguild predation, 454
molt, 454
pupation, 454
Coleoptera,
Acalymma vittatum, 542
Chrysomelidae, 542
Erwinia tracheiphila, 542
vector-pathogen association, 542
coleus,
biological control, 535
Leptomastix dactylopii, 535
Planococcus citri, 535
plant architecture, 535
colony movement,
queen dominance, 943
Solenopsis invicta, 943
worker preference, 943
conservation biological control,
habitat manipulation, 1054
hoverflies, 1054
insectary plants, 1054
natural enemies, 1054
Syrphidae, 1054

corn,
Diabrotica virgifera virgifera, 861
photosynthesis, 861
root injury, 861
vegetative growth, 861
corn silks,
Diabrotica virgifera virgifera, 587
movement, 587
population dynamics, 587
sampling, 587
Cynipidae,
Callirhytis, 551
gall-inducer, 551
heterogeny, 551
inquiline, 551
Quercus, 551

D

Danum Valley,
diversity, 467
edge effects, 467
reduced-impact logging, 467
selective logging, 467
defense,
Coleomegilla maculata, 454
habitat selection, 454
intraguild predation, 454
molt, 454
pupation, 454
degree-days,
Euschistus conspersus, 560
monitoring, 560
phenology, 560
pheromone, 560
tomatoes, 560
demography,
biological invasions, 1018
diapause, 1018
Pectinophora gossypiella, 1018
risk, 1018
Dendroctonus frontalis,
cold tolerance, 421
Ips grandicollis, 421
Ips perroti, 421
Ips pini, 421
Scolytidae, 421
density,
dispersal, 509
Lymantria dispar, 509
maternal effects, 509
population quality, 509
destruxins,
Agrotis segetum, 1041
bioassays, 1041
Metarhizium anisopliae, 1041
Pieris brassicae, 1041
serial time-concentration mortality, 1041
development,
almond pollination, 874
Osmia lignaria, 874
rearing methods, 874
wintering, 874
Diabrotica virgifera virgifera, 587, 861
corn, 861
corn silks, 587
movement, 587
photosynthesis, 861
population dynamics, 587
root injury, 861
sampling, 587
vegetative growth, 861
diapause, 1018, 1034
biological control, 1034
biological invasions, 1018
demography, 1018
Neoseiulus fallacis, 1034
Pectinophora gossypiella, 1018
risk, 1018
Tetranychidae, 1034
diapause induction,
Sesamia nonagrioides, 489
thermoperiod, 489
Diaphania hyalinata,
Cardiochiles diaphaniae, 612
Steinernema carpocapsae, 612
Diaprepes abbreviatus,
biological control, 1083
Heterorhabditis bacteriophora, 1083
soil type, 1083
Steinernema riobrave, 1083
dispersal, 509, 927, 972
Bacillus thuringiensis, 972
biological control, 927
Chilo suppressalis, 972
density, 509
locomotor activity, 927
Lymantria dispar, 509
maternal effects, 509
mating, 927
Nasonia vitripennis, 927
parasitoid wasp, 927

population quality, 509
resistance management, 972
rice, 972
Scirpophaga incertulas, 972
distribution,
grape phylloxera, 979
life cycle, 979
population structure, 979
Vitis, 979
diversity,
Danum Valley, 467
edge effects, 467
reduced-impact logging, 467
selective logging, 467

E

ecological classification,
biological diversity, 884
exotic species invasion, 884
forest insect communities, 884
gypsy moth, 884
edge effects,
Danum Valley, 467
diversity, 467
reduced-impact logging, 467
selective logging, 467
egg load,
egg production, 1002
host deprivation, 1002
oosorption, 1002
oviposition, 1002
population dynamics, 1002
egg production,
egg load, 1002
host deprivation, 1002
oosorption, 1002
oviposition, 1002
population dynamics, 1002
Endopiza viteana,
Lepidoptera, 433
mating disruption, 433
sex pheromone, 433
Tortricidae, 433
Entomopathogen, 1070, 1312
biological control, 1312
fungal pathogen, 1312
Light, 1070
Lymantria dispar, 1312
nuclear polyhedrosis virus, 1312
Residual Activity, 1070
Solar Simulator, 1070
Zygomycetes, 1312
entomopathogenic fungus,
aphid, 568
azadirachtin, 568
insecticidal soap, 568
lettuce crop, 568
Verticillium lecanii, 568
Entomophaga maimaiga,
epizootiology, 645
gypsy moth, 645
host specificity, 645
litter lepidopteran fauna, 645
nontarget effects, 645
epizootiology,
Entomophaga maimaiga, 645
gypsy moth, 645
host specificity, 645
litter lepidopteran fauna, 645
nontarget effects, 645
Erwinia tracheiphila,
Acalymma vittatum, 542
Chrysomelidae, 542
Coleoptera, 542
vector-pathogen association, 542
Eucyclops agilis,
Chironomus decorus, 437
insect repellents, 437
Strelkovimermis spiculatus, 437
toxicity, 437
Toxorhynchites amboinensis, 437
Euproctis chrysorrhoea,
baculovirus, 661
bioinsecticide, 661
host range, 661
Lymantriidae, 661
nontarget organism, 661
Euschistus conspersus,
degree-days, 560
monitoring, 560
phenology, 560
pheromone, 560
tomatoes, 560
exclusion cages,
Adelges tsugae, 638
adelgid, 638
field survey, 638
hemlock, 638
exotic species invasion,
biological diversity, 884
ecological classification, 884
forest insect communities, 884
gypsy moth, 884

F

feeding behaviors,
bark beetles, 495
callow adults, 495
Scolytidae, 495
female weight,
bark beetles, 1011
intraspecific competition, 1011
Pinus nigra variety *maritima*, 1011
Pinus sylvestris, 1011
Tomicus piniperda, 1011
field survey,
Adelges tsugae, 638
adelgid, 638
exclusion cages, 638
hemlock, 638
fire,
Cerrado, 901
herbivores, 901
neotropical savannas, 901
recolonization, 901
foraging,
ants, 525
Formica neogagates, 525
leaves, 525
trails, 525
foraging behavior,
alfalfa, 907
Medicago sativa, 907
Megachile rotundata, 907
pollination ecology, 907
seed set, 907
forest,
ants, 579
microbial pesticides, 579
nontarget effect, 579
forest insect communities,
biological diversity, 884
ecological classification, 884
exotic species invasion, 884
gypsy moth, 884
Formica neogagates,
ants, 525
foraging, 525
leaves, 525
trails, 525
functional response,
biological control, 1075
Heteropteran predators, 1075
thrips, 1075
whiteflies, 1075
fungal entomopathogens,
Beauveria bassiana, 1048
Paecilomyces fumosoroseus, 1048
Trialeurodes vaporariorum, 1048
tritrophic level interactions, 1048
whiteflies, 1048
fungal pathogen
biological control, 1312
entomopathogen, 1312
Lymantria dispar, 1312
nuclear polyhedrosis virus, 1312
Zygomycetes, 1312

G

gall-inducer,
Callirhytis, 551
Cynipidae, 551
heterogeny, 551
inquiline, 551
Quercus, 551
genetic near-isolines,
Acyrthosiphon pisum, 987
plant morphology, 987
plant–herbivore interactions, 987
grape phylloxera,
distribution, 979
life cycle, 979
population structure, 979
Vitis, 979
grasshoppers,
biological control, 1060
Hieroglyphus daganensis, 1060
Locustana pardalina, 1060
pathogens, 1060
thermal behavior, 1060
greedy scale,
Hemiberlesia rapax, 934
temperature developmental thresholds, 934
gypsy moth, 476, 645, 884
biological diversity, 884
ecological classification, 884
Entomophaga maimaiga, 645
epizootiology, 645
exotic species invasion, 884
forest insect communities, 884
host specificity, 645
litter lepidopteran fauna, 645
maternal effects, 476
nontarget effects, 645
population dynamics, 476

H
habitat management,
landscape ecology, 919
light exposure, 919
Stephanitis pyrioides, 919
structural complexity, 919
vegetational diversity, 919
habitat manipulation,
conservation biological control, 1054
hoverflies, 1054
insectary plants, 1054
natural enemies, 1054
Syrphidae, 1054
habitat selection,
Coleomegilla maculata, 454
defense, 454
intraguild predation, 454
molt, 454
pupation, 454
Helicoverpa zea,
Archytas marmoratus, 606
augmentation, 606
biological control, 606
inundative release, 606
Tachinidae, 606
Hemiberlesia rapax,
greedy scale, 934
temperature developmental thresholds, 934
hemlock,
Adelges tsugae, 638
adelgid, 638
exclusion cages, 638
field survey, 638
herbivores,
Cerrado, 901
fire, 901
neotropical savannas, 901
recolonization, 901
herbivory,
insect-plant interactions, 502
Japanese beetle, 502
Popillia japonica, 502
Rosa, 502
selective foraging, 502
heterogeny,
Callirhytis, 551
Cynipidae, 551
gall-inducer, 551
inquiline, 551
Quercus, 551
Heteropteran predators,
biological control, 1075
functional response, 1075
thrips, 1075
whiteflies, 1075
Heterorhabditis bacteriophora,
biological control, 1083
Diaprepes abbreviatus, 1083
soil type, 1083
Steinernema riobrave, 1083
Hieroglyphus daganensis,
biological control, 1060
grasshoppers, 1060
Locustana pardalina, 1060
pathogens, 1060
thermal behavior, 1060
host deprivation,
egg load, 1002
egg production, 1002
oosorption, 1002
oviposition, 1002
population dynamics, 1002
host plants,
Benin, 516
Mussidia nigrivenella, 516
population dynamics, 516
host range,
baculovirus, 661
bioinsecticide, 661
Euproctis chrysorrhoea, 661
Lymantriidae, 661
nontarget organism, 661
host selection behavior,
bark beetle, 442
Ips pini, 442
lipids, 442
monoterpene, 442
postlanding behavior, 442
host specificity,
Entomophaga maimaiga, 645
epizootiology, 645
gypsy moth, 645
litter lepidopteran fauna, 645
nontarget effects, 645
hoverflies,
conservation biological control, 1054
habitat manipulation, 1054
insectary plants, 1054
natural enemies, 1054

Syrphidae, 1054

I

Ichneumonidae,
biodiversity, 460
latitude, 460
old-growth forests, 460
parasitoids, 460
inquiline,
Callirhytis, 551
Cynipidae, 551
gall-inducer, 551
heterogeny, 551
Quercus, 551
insect repellents,
Chironomus decorus, 437
Eucyclops agilis, 437
Strelkovimermis spiculatus, 437
toxicity, 437
Toxorhynchites amboinensis, 437
insectary plants,
conservation biological control, 1054
habitat manipulation, 1054
hoverflies, 1054
natural enemies, 1054
Syrphidae, 1054
insecticidal soap,
aphid, 568
azadirachtin, 568
entomopathogenic fungus, 568
lettuce crop, 568
Verticillium lecanii, 568
insect-plant interactions,
herbivory, 502
Japanese beetle, 502
Popillia japonica, 502
Rosa, 502
selective foraging, 502
intraguild predation,
Coleomegilla maculata, 454
defense, 454
habitat selection, 454
molt, 454
pupation, 454
intraspecific competition,
bark beetles, 1011
female weight, 1011
Pinus nigra variety *maritima*, 1011
Pinus sylvestris, 1011
Tomicus piniperda, 1011
inundative release,
Archytas marmoratus, 606
augmentation, 606
biological control, 606
Helicoverpa zea, 606
Tachinidae, 606
Ips grandicollis,
cold tolerance, 421
Dendroctonus frontalis, 421
Ips perroti, 421
Ips pini, 421
Scolytidae, 421
Ips perroti,
cold tolerance, 421
Dendroctonus frontalis, 421
Ips grandicollis, 421
Ips pini, 421
Scolytidae, 421
Ips pini, 421, 442, 618, 651
bark beetle, 442
biological control, 618, 651
coevolution, 651
cold tolerance, 421
Dendroctonus frontalis, 421
host selection behavior, 442
Ips grandicollis, 421
Ips perroti, 421
lipids, 442
monoterpene, 442
pheromones, 618, 651
Platysoma, 618, 651
population monitoring, 618
postlanding behavior, 442
Scolytidae, 421
Thanasimus dubius, 618, 651

J

Japanese beetle,
herbivory, 502
insect-plant interactions, 502
Popillia japonica, 502
Rosa, 502
selective foraging, 502

L

landscape ecology,
habitat management, 919
light exposure, 919
Stephanitis pyrioides, 919
structural complexity, 919
vegetational diversity, 919
larval competition,

overwintering mortality, 403
subzero temperatures, 403
Urophora affinis, 403
Urophora quadrifasciata, 403
larval dispersal,
Chilo suppressalis, 958
resistance management, 958
rice, 958
Scirpophaga incertulas, 958
latitude,
biodiversity, 460
Ichneumonidae, 460
old-growth forests, 460
parasitoids, 460
leaves,
ants, 525
foraging, 525
Formica neogagates, 525
trails, 525
Lepidoptera,
Endopiza viteana, 433
mating disruption, 433
sex pheromone, 433
Tortricidae, 433
Leptomastix dactylopii,
biological control, 535
coleus, 535
Planococcus citri, 535
plant architecture, 535
lettuce crop,
aphid, 568
azadirachtin, 568
entomopathogenic fungus, 568
insecticidal soap, 568
Verticillium lecanii, 568
life cycle,
distribution, 979
grape phylloxera, 979
population structure, 979
Vitis, 979
life history,
biological control, 596
Musca domestica, 596
Muscidifurax raptor, 596
Stomoxys calcitrans, 596
temperature, 596
Light,
Entomopathogen, 1070
Residual Activity, 1070
Solar Simulator, 1070
light exposure,
habitat management, 919
landscape ecology, 919
Stephanitis pyrioides, 919
structural complexity, 919
vegetational diversity, 919
lipids,
bark beetle, 442
host selection behavior, 442
Ips pini, 442
monoterpene, 442
postlanding behavior, 442
litter lepidopteran fauna,
Entomophaga maimaiga, 645
epizootiology, 645
gypsy moth, 645
host specificity, 645
nontarget effects, 645
locomotor activity,
biological control, 927
dispersal, 927
mating, 927
Nasonia vitripennis, 927
parasitoid wasp, 927
Locustana pardalina,
biological control, 1060
grasshoppers, 1060
Hieroglyphus daganensis, 1060
pathogens, 1060
thermal behavior, 1060
longevity,
alfalfa, 1088
biological control, 1088
parasitoid feeding, 1088
Phacelia tanacetifolia, 1088
Taraxacum officinale, 1088
Lymantria dispar, 509, 1312
biological control, 1312
density, 509
dispersal, 509
entomopathogen, 1312
fungal pathogen, 1312
maternal effects, 509
nuclear polyhedrosis virus, 1312
population quality, 509
Zygomycetes, 1312
Lymantriidae,
baculovirus, 661
bioinsecticide, 661
Euproctis chrysorrhoea, 661
host range, 661
nontarget organism, 661

M

management,
Nezara viridula, 1027
pecans, 1027
marking pheromone,
Rhagoletis juglandis, 994
superparasitism, 994
Tephritidae, 994
walnut flies, 994
maternal effects, 476, 509
density, 509
dispersal, 509
gypsy moth, 476
Lymantria dispar, 509
population dynamics, 476
population quality, 509
mating,
biological control, 927
dispersal, 927
locomotor activity, 927
Nasonia vitripennis, 927
parasitoid wasp, 927
mating disruption,
Endopiza viteana, 433
Lepidoptera, 433
sex pheromone, 433
Tortricidae, 433
Medicago sativa,
alfalfa, 907
foraging behavior, 907
Megachile rotundata, 907
pollination ecology, 907
seed set, 907
Megachile rotundata,
alfalfa, 907
foraging behavior, 907
Medicago sativa, 907
pollination ecology, 907
seed set, 907
Metarhizium anisopliae,
Agrotis segetum, 1041
bioassays, 1041
destruxins, 1041
Pieris brassicae, 1041
serial time-concentration mortality, 1041
microbial pesticides,
ants, 579
forest, 579
nontarget effect, 579
molt,
Coleomegilla maculata, 454
defense, 454
habitat selection, 454
intraguild predation, 454
pupation, 454
monitoring,
degree-days, 560
Euschistus conspersus, 560
phenology, 560
pheromone, 560
tomatoes, 560
monoterpene,
bark beetle, 442
host selection behavior, 442
Ips pini, 442
lipids, 442
postlanding behavior, 442
movement,
corn silks, 587
Diabrotica virgifera virgifera, 587
population dynamics, 587
sampling, 587
Musca domestica, 596, 630
biological control, 596, 630
life history, 596
Muscidifurax, 630
Muscidifurax raptor, 596
pupal parasitoids, 630
Spalangia, 630
spatial distribution, 630
Stomoxys calcitrans, 596
temperature, 596
Muscidifurax,
biological control, 630
Musca domestica, 630
pupal parasitoids, 630
Spalangia, 630
spatial distribution, 630
Muscidifurax raptor,
biological control, 596
life history, 596
Musca domestica, 596
Stomoxys calcitrans, 596
temperature, 596
Mussidia nigrivenella,
Benin, 516
host plants, 516
population dynamics, 516

N

Nasonia vitripennis,

biological control, 927
dispersal, 927
locomotor activity, 927
mating, 927
parasitoid wasp, 927
natural enemies,
conservation biological control, 1054
habitat manipulation, 1054
hoverflies, 1054
insectary plants, 1054
Syrphidae, 1054
Neoseiulus fallacis,
biological control, 1034
diapause, 1034
Tetranychidae, 1034
neotropical savannas,
Cerrado, 901
fire, 901
herbivores, 901
recolonization, 901
Nezara viridula,
management, 1027
pecans, 1027
nontarget effect,
ants, 579
forest, 579
microbial pesticides, 579
nontarget effects,
Entomophaga maimaiga, 645
epizootiology, 645
gypsy moth, 645
host specificity, 645
litter lepidopteran fauna, 645
nontarget organism,
baculovirus, 661
bioinsecticide, 661
Euproctis chrysorrhoea, 661
host range, 661
Lymantriidae, 661
nuclear polyhedrosis virus
biological control, 1312
entomopathogen, 1312
fungal pathogen, 1312
Lymantria dispar, 1312
Zygomycetes, 1312
nucleopolyhedrovirus,
Acheta domesticus, 950
Podisus maculiventris, 950
recombinant baculovirus, 950
Sarcophaga bullata, 950
Trichoplusia ni, 950

O

old-growth forests,
biodiversity, 460
Ichneumonidae, 460
latitude, 460
parasitoids, 460
oosorption,
egg load, 1002
egg production, 1002
host deprivation, 1002
oviposition, 1002
population dynamics, 1002
orchard pollination,
Apis mellifera, 413
climatic factors, 413
Osmia cornuta, 413
pollinator foraging activity, 413
Osmia cornuta,
Apis mellifera, 413
climatic factors, 413
orchard pollination, 413
pollinator foraging activity, 413
Osmia lignaria,
almond pollination, 874
development, 874
rearing methods, 874
wintering, 874
overwintering mortality,
larval competition, 403
subzero temperatures, 403
Urophora affinis, 403
Urophora quadrifasciata, 403
oviposition,
egg load, 1002
egg production, 1002
host deprivation, 1002
oosorption, 1002
population dynamics, 1002

P

Paecilomyces fumosoroseus,
Beauveria bassiana, 1048
fungal entomopathogens, 1048
Trialeurodes vaporariorum, 1048
tritrophic level interactions, 1048
whiteflies, 1048
parasitoid feeding,
alfalfa, 1088
biological control, 1088

longevity, 1088
Phacelia tanacetifolia, 1088
Taraxacum officinale, 1088
parasitoid wasp,
biological control, 927
dispersal, 927
locomotor activity, 927
mating, 927
Nasonia vitripennis, 927
parasitoids,
biodiversity, 460
Ichneumonidae, 460
latitude, 460
old-growth forests, 460
pathogens,
biological control, 1060
grasshoppers, 1060
Hieroglyphus daganensis, 1060
Locustana pardalina, 1060
thermal behavior, 1060
pecans,
management, 1027
Nezara viridula, 1027
Pectinophora gossypiella,
biological invasions, 1018
demography, 1018
diapause, 1018
risk, 1018
Phacelia tanacetifolia,
alfalfa, 1088
biological control, 1088
longevity, 1088
parasitoid feeding, 1088
Taraxacum officinale, 1088
phenology,
degree-days, 560
Euschistus conspersus, 560
monitoring, 560
pheromone, 560
tomatoes, 560
pheromone,
degree-days, 560
Euschistus conspersus, 560
monitoring, 560
phenology, 560
tomatoes, 560
pheromones, 618, 651
biological control, 618, 651
coevolution, 651
Ips pini, 618, 651
Platysoma, 618, 651
population monitoring, 618
Thanasimus dubius, 618, 651
photoperiod,
cold tolerance, 868
Spodoptera exigua, 868
supercooling point, 868
thermoperiod, 868
photosynthesis,
corn, 861
Diabrotica virgifera virgifera, 861
root injury, 861
vegetative growth, 861
Pieris brassicae,
Agrotis segetum, 1041
bioassays, 1041
destruxins, 1041
Metarhizium anisopliae, 1041
serial time-concentration mortality, 1041
Pinus nigra variety *maritima*,
bark beetles, 1011
female weight, 1011
intraspecific competition, 1011
Pinus sylvestris, 1011
Tomicus piniperda, 1011
Pinus sylvestris,
bark beetles, 1011
female weight, 1011
intraspecific competition, 1011
Pinus nigra variety *maritima*, 1011
Tomicus piniperda, 1011
Planococcus citri,
biological control, 535
coleus, 535
Leptomastix dactylopii, 535
plant architecture, 535
plant architecture,
biological control, 535
coleus, 535
Leptomastix dactylopii, 535
Planococcus citri, 535
plant morphology,
Acyrthosiphon pisum, 987
genetic near-isolines, 987
plant–herbivore interactions, 987
plant–herbivore interactions,
Acyrthosiphon pisum, 987
genetic near-isolines, 987
plant morphology, 987
Platysoma, 618, 651
biological control, 618, 651

coevolution, 651
Ips pini, 618, 651
pheromones, 618, 651
population monitoring, 618
Thanasimus dubius, 618, 651
Podisus maculiventris,
Acheta domesticus, 950
nucleopolyhedrovirus, 950
recombinant baculovirus, 950
Sarcophaga bullata, 950
Trichoplusia ni, 950
pollination ecology,
alfalfa, 907
foraging behavior, 907
Medicago sativa, 907
Megachile rotundata, 907
seed set, 907
pollinator foraging activity,
Apis mellifera, 413
climatic factors, 413
orchard pollination, 413
Osmia cornuta, 413
Popillia japonica,
herbivory, 502
insect-plant interactions, 502
Japanese beetle, 502
Rosa, 502
selective foraging, 502
population dynamics, 476, 516, 587, 1002
Benin, 516
corn silks, 587
Diabrotica virgifera virgifera, 587
egg load, 1002
egg production, 1002
gypsy moth, 476
host deprivation, 1002
host plants, 516
maternal effects, 476
movement, 587
Mussidia nigrivenella, 516
oosorption, 1002
oviposition, 1002
sampling, 587
population monitoring,
biological control, 618
Ips pini, 618
pheromones, 618
Platysoma, 618
Thanasimus dubius, 618
population quality,
density, 509
dispersal, 509
Lymantria dispar, 509
maternal effects, 509
population structure,
distribution, 979
grape phylloxera, 979
life cycle, 979
Vitis, 979
postlanding behavior,
bark beetle, 442
host selection behavior, 442
Ips pini, 442
lipids, 442
monoterpene, 442
pupal parasitoids,
biological control, 630
Musca domestica, 630
Muscidifurax, 630
Spalangia, 630
spatial distribution, 630
pupation,
Coleomegilla maculata, 454
defense, 454
habitat selection, 454
intraguild predation, 454
molt, 454

Q

queen dominance,
colony movement, 943
Solenopsis invicta, 943
worker preference, 943
Quercus,
Callirhytis, 551
Cynipidae, 551
gall-inducer, 551
heterogeny, 551
inquiline, 551

R

rearing methods,
almond pollination, 874
development, 874
Osmia lignaria, 874
wintering, 874
recolonization,
Cerrado, 901
fire, 901
herbivores, 901

neotropical savannas, 901
recombinant baculovirus,
Acheta domesticus, 950
nucleopolyhedrovirus, 950
Podisus maculiventris, 950
Sarcophaga bullata, 950
Trichoplusia ni, 950
reduced-impact logging,
Danum Valley, 467
diversity, 467
edge effects, 467
selective logging, 467
Residual Activity,
Entomopathogen, 1070
Light, 1070
Solar Simulator, 1070
resistance management, 958, 972
Bacillus thuringiensis, 972
Chilo suppressalis, 958, 972
dispersal, 972
larval dispersal, 958
rice, 958, 972
Scirpophaga incertulas, 958, 972
Rhagoletis juglandis,
marking pheromone, 994
superparasitism, 994
Tephritidae, 994
walnut flies, 994
rice, 958, 972
Bacillus thuringiensis, 972
Chilo suppressalis, 958, 972
dispersal, 972
larval dispersal, 958
resistance management, 958, 972
Scirpophaga incertulas, 958, 972
risk,
biological invasions, 1018
demography, 1018
diapause, 1018
Pectinophora gossypiella, 1018
root injury,
corn, 861
Diabrotica virgifera virgifera, 861
photosynthesis, 861
vegetative growth, 861
Rosa,
herbivory, 502
insect-plant interactions, 502
Japanese beetle, 502
Popillia japonica, 502
selective foraging, 502

S

sampling,
corn silks, 587
Diabrotica virgifera virgifera, 587
movement, 587
population dynamics, 587
Sarcophaga bullata,
Acheta domesticus, 950
nucleopolyhedrovirus, 950
Podisus maculiventris, 950
recombinant baculovirus, 950
Trichoplusia ni, 950
Scirpophaga incertulas, 958, 972
Bacillus thuringiensis, 972
Chilo suppressalis, 958, 972
dispersal, 972
larval dispersal, 958
resistance management, 958, 972
rice, 958, 972
Scolytidae, 421, 495
bark beetles, 495-
callow adults, 495
cold tolerance, 421
Dendroctonus frontalis, 421
feeding behaviors, 495
Ips grandicollis, 421
Ips perroti, 421
Ips pini, 421
seed set,
alfalfa, 907
foraging behavior, 907
Medicago sativa, 907
Megachile rotundata, 907
pollination ecology, 907
selective foraging,
herbivory, 502
insect-plant interactions, 502
Japanese beetle, 502
Popillia japonica, 502
Rosa, 502
selective logging,
Danum Valley, 467
diversity, 467
edge effects, 467
reduced-impact logging, 467
serial time-concentration mortality,
Agrotis segetum, 1041
bioassays, 1041
destruxins, 1041
Metarhizium anisopliae, 1041
Pieris brassicae, 1041

Sesamia nonagrioides,
diapause induction, 489
thermoperiod, 489
sex pheromone,
Endopiza viteana, 433
Lepidoptera, 433
mating disruption, 433
Tortricidae, 433
soil type,
biological control, 1083
Diaprepes abbreviatus, 1083
Heterorhabditis bacteriophora, 1083
Steinernema riobrave, 1083
Solar Simulator,
Entomopathogen, 1070
Light, 1070
Residual Activity, 1070
Solenopsis invicta,
colony movement, 943
queen dominance, 943
worker preference, 943
Spalangia,
biological control, 630
Musca domestica, 630
Muscidifurax, 630
pupal parasitoids, 630
spatial distribution, 630
spatial distribution,
biological control, 630
Musca domestica, 630
Muscidifurax, 630
pupal parasitoids, 630
Spalangia, 630
Spodoptera exigua,
cold tolerance, 868
photoperiod, 868
supercooling point, 868
thermoperiod, 868
Steinernema carpocapsae,
Cardiochiles diaphaniae, 612
Diaphania hyalinata, 612
Steinernema riobrave,
biological control, 1083
Diaprepes abbreviatus, 1083
Heterorhabditis bacteriophora, 1083
soil type, 1083
Stephanitis pyrioides,
habitat management, 919
landscape ecology, 919
light exposure, 919
structural complexity, 919
vegetational diversity, 919
Stomoxys calcitrans,
biological control, 596
life history, 596
Musca domestica, 596
Muscidifurax raptor, 596
temperature, 596
Strelkovimermis spiculatus,
Chironomus decorus, 437
Eucyclops agilis, 437
insect repellents, 437
toxicity, 437
Toxorhynchites amboinensis, 437
structural complexity,
habitat management, 919
landscape ecology, 919
light exposure, 919
Stephanitis pyrioides, 919
vegetational diversity, 919
subzero temperatures,
larval competition, 403
overwintering mortality, 403
Urophora affinis, 403
Urophora quadrifasciata, 403
supercooling point,
cold tolerance, 868
photoperiod, 868
Spodoptera exigua, 868
thermoperiod, 868
superparasitism,
marking pheromone, 994
Rhagoletis juglandis, 994
Tephritidae, 994
walnut flies, 994
Syrphidae,
conservation biological control, 1054
habitat manipulation, 1054
hoverflies, 1054
insectary plants, 1054
natural enemies, 1054

T

Tachinidae,
Archytas marmoratus, 606
augmentation, 606
biological control, 606
Helicoverpa zea, 606
inundative release, 606
Taraxacum officinale,
alfalfa, 1088
biological control, 1088

longevity, 1088
parasitoid feeding, 1088
Phacelia tanacetifolia, 1088
temperature,
biological control, 596
life history, 596
Musca domestica, 596
Muscidifurax raptor, 596
Stomoxys calcitrans, 596
temperature developmental thresholds,
greedy scale, 934
Hemiberlesia rapax, 934
Tephritidae,
marking pheromone, 994
Rhagoletis juglandis, 994
superparasitism, 994
walnut flies, 994
Tetranychidae,
biological control, 1034
diapause, 1034
Neoseiulus fallacis, 1034
Thanasimus dubius, 618, 651
biological control, 618, 651
coevolution, 651
Ips pini, 618, 651
pheromones, 618, 651
Platysoma, 618, 651
population monitoring, 618
thermal behavior,
biological control, 1060
grasshoppers, 1060
Hieroglyphus daganensis, 1060
Locustana pardalina, 1060
pathogens, 1060
thermoperiod, 489, 868
cold tolerance, 868
diapause induction, 489
photoperiod, 868
Sesamia nonagrioides, 489
Spodoptera exigua, 868
supercooling point, 868
thrips,
biological control, 1075
functional response, 1075
Heteropteran predators, 1075
whiteflies, 1075
tomatoes,
degree-days, 560
Euschistus conspersus, 560
monitoring, 560
phenology, 560
pheromone, 560
Tomicus piniperda,
bark beetles, 1011
female weight, 1011
intraspecific competition, 1011
Pinus nigra variety *maritima*, 1011
Pinus sylvestris, 1011
Tortricidae,
Endopiza viteana, 433
Lepidoptera, 433
mating disruption, 433
sex pheromone, 433
toxicity,
Chironomus decorus, 437
Eucyclops agilis, 437
insect repellents, 437
Strelkovimermis spiculatus, 437
Toxorhynchites amboinensis, 437
Toxorhynchites amboinensis,
Chironomus decorus, 437
Eucyclops agilis, 437
insect repellents, 437
Strelkovimermis spiculatus, 437
toxicity, 437
trails,
ants, 525
foraging, 525
Formica neogagates, 525
leaves, 525
Trialeurodes vaporariorum,
Beauveria bassiana, 1048
fungal entomopathogens, 1048
Paecilomyces fumosoroseus, 1048
tritrophic level interactions, 1048
whiteflies, 1048
Trichoplusia ni,
Acheta domesticus, 950
nucleopolyhedrovirus, 950
Podisus maculiventris, 950
recombinant baculovirus, 950
Sarcophaga bullata, 950
tritrophic level interactions,
Beauveria bassiana, 1048
fungal entomopathogens, 1048
Paecilomyces fumosoroseus, 1048
Trialeurodes vaporariorum, 1048
whiteflies, 1048

U

Urophora affinis,
larval competition, 403

overwintering mortality, 403
subzero temperatures, 403
Urophora quadrifasciata, 403
Urophora quadrifasciata,
larval competition, 403
overwintering mortality, 403
subzero temperatures, 403
Urophora affinis, 403

V

vector-pathogen association,
Acalymma vittatum, 542
Chrysomelidae, 542
Coleoptera, 542
Erwinia tracheiphila, 542
vegetational diversity,
habitat management, 919
landscape ecology, 919
light exposure, 919
Stephanitis pyrioides, 919
structural complexity, 919
vegetative growth,
corn, 861
Diabrotica virgifera virgifera, 861
photosynthesis, 861
root injury, 861
Verticillium lecanii,
aphid, 568
azadirachtin, 568
entomopathogenic fungus, 568
insecticidal soap, 568
lettuce crop, 568
Vitis,
distribution, 979
grape phylloxera, 979
life cycle, 979
population structure, 979

W

walnut flies,
marking pheromone, 994
Rhagoletis juglandis, 994
superparasitism, 994
Tephritidae, 994
whiteflies, 1048, 1075
Beauveria bassiana, 1048
biological control, 1075
functional response, 1075
fungal entomopathogens, 1048
Heteropteran predators, 1075
Paecilomyces fumosoroseus, 1048
thrips, 1075
Trialeurodes vaporariorum, 1048
tritrophic level interactions, 1048
wintering,
almond pollination, 874
development, 874
Osmia lignaria, 874
rearing methods, 874
worker preference,
colony movement, 943
queen dominance, 943
Solenopsis invicta, 943

Z

Zygomycetes
biological control, 1312
entomopathogen, 1312
fungal pathogen, 1312
Lymantria dispar, 1312
nuclear polyhedrosis virus, 1312